

INDEX

- 802.11 standard 103–4
- accessibility (design principles for graphic solutions) 52–3, 184–7, 207, 236
- accidental threats (network security) 116–17, 332
- accuracy of data 9, 158, 268
- affordance
 - mobile devices 176
 - user interface 236
- agriculture and information systems 147–8
- algorithms 231, 245
- alignment (design principles for graphic solutions) 53, 188–9
- alpha testing 248
- American Psychological Association (APA) 13–14
- analysis (problem-solving methodology) xii
- animations (graphic solutions) 46–7
- annotated diagrams (graphic solutions) 66, 67–8, 198–9
- appearance (design principles for graphic solutions) 53–6, 187–94, 198–204
 - alignment 53, 188–9
 - annotated diagrams and mock ups 198–9
 - balance 56, 193–4
 - contrast 189–92
 - conventions and formats 201–4
 - flowchart 182
 - functionality 182–7
 - layout design 198–9
 - repetition 189
 - space 192–3
 - test data 200
- application-programming interface (API) tool 289
- apps 105
- arrays 220, 250–2, 270
- arrows (graphic solutions) 59–60
- asymmetric digital subscriber line (ADSL) 92
- audio file 203
- Australian Bureau of Statistics (ABS) 266
- Australian Privacy Principles (APPs) 22–4
- authenticity of primary data 269
- automatic numberplate recognition 342

- backups 20, 333
- balance (design principles for graphic solutions) 56, 193–4
- bandwidth 109
- battery life (mobile devices) 161
- beta testing 248
- bias (information) 9–11
 - through graphic representations 11
 - through sorting 10
- binary search 255
- bluetooth 113
- Boolean data type 270, 308
- bottom-driven loops 243
- brainstorming 170
- broadband routers 91–2
- bulletin boards 153
- Bureau of Meteorology 265–6
- buttons (design principles for graphic solutions) 205

- card skimming 149, 150
- cellular radio 114–15
- central processor unit (CPU) 220, 223
- channel 109
- character (data type) 269, 308
- charts
 - as data visualisations 273
 - graphic solutions 43–5
- choices (information architecture) 179–80
- classification (information architecture) 178
- client-server networks 84–5
- closed questions 7, 8
- cloud computing 21, 159–60
- cloud storage 100, 159–60
- code identification 243
- code modules 240–1
- collaboration 168
- colours (graphic solutions) 62–5, 190–2
- communication of message (graphic solutions) 69
- communications, facilitating network 125
- communications channel 109–11
- communications devices 81, 90–6, 331
 - broadband routers 91–2
 - network interface cards 93–4
 - NBN devices 92–3
 - routers 90–1
 - switches 90
 - wireless access point 94
 - wireless adaptors 93–4
 - wireless extender 95–6
- communication hardware 221
- communications satellite 115–16
- communications software 96–8
- compiler 223
- completeness testing (graphic solutions) 68
- complex instruction set computing (CICS) 220
- component testing 248
- compression 227
- consent forms 15–16
- contingency plans (project management) 168, 169
- contrast (design principles for graphic solutions) 53–4, 62–5, 189–92
- conventions (design principles for graphic solutions) 56–65, 201–3, 281–2

- file naming 201–2
- images 202–3
- index page 202
- style guides 203
- video and audio file 203
- Copyright Act 1968* (Cth) 89–90, 141
- costing (project management) 169
- counted loops 243
- CSV file formats 289
- data
 - accuracy 9, 158, 268
 - acquisition 308–9
 - correctness 159
 - dummy 206
 - entry 309–12
 - gathering 5–9
 - and information 4–5
 - integrity 151, 158–9, 267–9
 - manipulation (design tools) 196–7
 - primary 5, 155–7
 - processing data to create solutions 70–3
 - qualitative 4, 155–7
 - quality of 9–11
 - quantitative 3–4, 155–7
 - reasonableness 159
 - redundancy 302
 - sample size 10
 - secondary 5, 155, 157–8
 - security practices 123–4
 - sharing (networks) 125
 - sources 5–9, 264–7, 308–9
 - structures 269–71
 - test (problem-solving) 200
 - transmission cost 161
 - transmission speed 161
- data analysis 2–25, 263–92
 - Australian privacy principles 22–4
 - design tools 66–8, 279–80
 - ethical dilemmas 24–5
 - file formats 288–9
 - formats and conventions 56–66, 281–2
 - gathering data 5–9
 - graphic solutions 42–51
 - graphic solutions, design principles 51–6
 - physical security controls 20–2
 - and privacy 19
 - problem solving 31–42
 - process data to create solutions 70–3
 - referencing primary sources 11–14
 - and research 3–4
 - seeking permission 15–18
 - software tools and functions 282–7
 - sources 5–9, 264–7
 - types of tests 68–70
 - validation 70
- data collection
 - quality 9–11
 - seeking permission 15–18
 - techniques and methods 5–7
 - timing 10
 - tools 310–12
- data dictionaries 229–31, 302, 312–13
- data management 300–35
 - accidental and deliberate security threats 116–17, 332
 - communication devices 331
 - hardware components 329–30
 - physical and software security 333–5
- data structure diagrams 231
- data structures 269–77
- data types 225–6, 269–77, 309
 - array 270
 - Boolean 270, 308
 - characteristics 269, 307–8
 - common types 307
 - file 271
 - floating point (or decimal) 270, 307
 - integer 270, 307
 - record 270
 - string (or text) 270, 307
- data validation (programming concepts) 241–2
- data visualisations 263–4
 - charts 273
 - common types 272
 - definition 271
 - evaluating 289–92
 - flow 276
 - hierarchy 275–6
 - maps 274
 - matrix 276–7
 - networks 274
 - time series 275
 - types and purposes 271–7
- data.gov.au 267
- database design tools 312–20
 - and database structure 312–14
 - designing macros 320
 - designing queries 316–17
 - input forms to capture data 315–16
 - layout diagrams 312
 - naming conventions 312
 - reports for specific needs 318–19
- database management systems (DBMSs) 301, 302–3, 307
 - benefits and risk 303
 - capabilities and features 302
 - development of 320–8
 - limitations 302
- database software 284–5, 311
- database structure 303–6
 - fields, records and tables 303–4
 - input forms 304
 - macros 306

- queries 305
- reports 306
- database systems 301–2
- date (data format) 308
- debugger 223
- debugging (programming concepts) 244–8
 - desk check 246–8
 - logical errors 245
 - runtime errors 246
 - syntax errors 245
- dedicated servers 84
- default action 239
- default values 239
- deliberate threats (network security) 117
- design
 - problem-solving methodology xii
 - website 171–6
- design principles for graphic solutions 52–6, 181–94
 - accessibility 52–3, 184–7, 207
 - alignment 188–9
 - appearance 53–6, 187–94
 - balance 193–4
 - contrast 189–92
 - flowchart 182
 - functionality 52–3, 182–7
 - orientation 194–5
 - proportion 194
 - repetition 189
 - space 192–3
 - specific considerations 194–5
 - useability 52, 182–4, 207
- design tools (graphic solutions) 66–8, 195–204
 - appearance 198–204
 - functionality 195–8
- design tools (problem-solving methodology) 66–8, 279–81
- designing solutions and output 33–4
- designing websites 171–6
 - mobile devices 172–6
 - principles 181–94
 - specific considerations 194–5
 - tools 195–205
- designs, network physical 121–2
- desk check 246–8
- developing websites 205–7
- development (problem-solving methodology) xii
- diagrams
 - graphic solutions 45–6
 - network 121–2
- differential backup 20
- digital information systems 146
- digital signal 81
- disclosure (information architecture) 177–8
- domain name server (DNS) 98
- downlink 116
- dummy data 206
- Earth-based station 115–16
- e-commerce 148–9
- editor 223, 224
- electrical protection 334
- electronic funds transfer (EFT) 125
- electronic health records (EHR) 151
- electronic validation (graphic solutions) 68, 70
- email 99
- encryption 20, 334–5
- entertainment and information systems 140–4
- Ethernet 101–2
- ethical dilemmas
 - data analysis 24–5
 - information systems 142–4
 - programming 255
- ethical responsibilities (networks) 122–6
- evaluation (problem-solving methodology) xii
- existence checking 309
- Facebook 146
- fibre-optic cable 111
- file data structure 271
- file formats (data analysis) 288–9
- file naming 201–1
- file transfer protocol (FTP) 99
- files and records (programming concepts) 252–3
- finance and information systems 148–51
- firewalls 21–2, 120
- first-in first-out (FIFO) 252
- first-in last-out (FILO) 252
- floating point (or decimal) (data type) 270
- flow visualisations 276
- flowcharts (graphic solutions) 45, 196–7, 280–1
- focus groups 7
- font selection (website design) 174, 189
- footnotes 12
- formal testing 248
- formats
 - data 2
 - design principles for graphic solutions 56–65, 281–2
- forums 146, 153
- full backup 20
- functional requirements (problem-solving methodology) 277
- functionality (design principles for graphic solutions) 52–3, 196–8
- functionality testing (graphic solutions) 69
- games consoles 108–9
- Gantt charts 170–1
- garbage-in equals garbage-out (GIGO) 303
- geospatial visualisations 274
- GIS file formats 289
- global positioning system (GPS) 106–7
- Google 286–7

- graphic solutions
 - annotated diagrams 66, 67–8, 198–9
 - appearance 198–204
 - audio file 203
 - contrast 53–4, 62–5
 - definition 43
 - design principles for 52–6
 - design tools 66–8, 195–204
 - flowcharts 45, 196–7
 - images 46, 200–3
 - layout designs 198–9
 - and processing data 70–3
 - purpose of 42–52
 - site map development 197
 - sources of data and legend 60–1
 - storyboards 197–8
 - test data 200
 - testing 68, 206–7
 - types of 43–51
 - types of tests 68–70
 - validation 68, 70, 206
 - video file 203
- graphic user interface (GUI) 224
 - controls and structures 253–4
- graphics processor unit (GPU) 220
- groupware 171
- growth (information architecture) 179
- hacker 117
- hand-held data-collection devices 106
- hard disk drive (HDD) 219, 220
- hardware
 - communication 221
 - components for data management 329–30
 - processing 220
 - and programming 219–21
 - sharing (networks) 125
 - storage 220–1
- Harvard referencing style 158
- hashing 334
- health and information systems 151–2
 - Health Records Act 2001* (Vic) 151–2
- hierarchies (graphic solutions) 46
- hierarchy visualisations 275–6
- histograms 157
- home networks 83–4
- HTML 82
- HTTPS 334
- Hungarian notation 230
- hyperlinks 205
- hypertext transfer protocol (http) 98
- hypertext transfer protocol secured (https)–9 98
- hypothesis 3
- identity theft 149–50
- image editing 205
- images (graphic solutions) 46, 200–3
- incremental backup 20
- index page 202
- infographics (graphic solutions) 47–51
- information 4–5
 - quality of 9–11
- information architecture 177–80
 - choices 179–80
 - classification 178
 - disclosure 177–8
 - growth 179
 - navigation 178–9
- information needs 263–4
- information systems 140–61
 - in action 140–52
 - acquiring data, methods and techniques 155–8
 - agriculture 147–8
 - data integrity 158–9
 - digital 146
 - definition 140
 - and entertainment 140–4
 - expressing opinions 153–4
 - and finance 148–51
 - forums and bulletin boards 153
 - and health 151–2
 - mobile devices 160–1
 - primary data collection methods 155–8
 - in programming 219
 - rating systems 153–4
 - secondary sources 157–8
 - social media 153
 - storing shared file 159–60
 - and sport 145–7
 - web design 160–1
- informed consent 15
- input devices 219, 329
- input forms 304, 315–16, 320
- input–process–output (IPO) charts 66–7, 196, 231–2, 280
- integer (data type) 270, 307
- Integrated Development Environment (IDE) 224
- integration testing 248
- integrity of data 151, 158–9, 267–9
- interface mock-up 234
- interfaces, user 309–12
- interfaces, creating effective user 235–9
 - accessibility 236
 - affordance 236
 - consistency 239
 - legibility 238
 - structure 237
 - tolerance 239–40
 - useability 235–6
 - visibility 237–8

- internal documentation (programming concepts) 242
- internet peer-to-peer networks (P2P) 86
- internet service software 98
- internet services 98–100
 - cloud storage 100
 - email 99
 - file transfer protocol (FTP) 99
 - voice over Internet Protocol (VoIP) 100
 - web browsers 98–9
- interviews 7, 11–12, 155
- intranets 82–3
- IP addresses 103

- Kaluganga Junior Swimming Club (case study) 311–12, 313–14, 315–16, 317–18, 319–20, 321–8, 331, 335
- key concepts xiv
- keylogger 118

- languages, compiled and interpreted (programming concepts) 240
- last-in first-out (LIFO) 252
- layout designs 199–200
- layout diagram
 - database design tools 312
 - problem-solving methodology 279–80
- leecher 88
- legal responsibilities (networks) 122–3
- legibility
 - user interface 238
 - website design 174
- linear search 255
- lines (graphic solutions) 59–60
- linker 223
- local area networks (LAN) 82, 85, 90–1
- logic (programming concepts) 244
- logic bombs 118
- logical errors 245
- loops (programming concepts) 242–4

- macros 32, 306, 320, 321
- malware 117
- malware protection 22
- manipulation (graphic solutions) 205–6
- manual validation (graphic solutions) 70
- map-based visualisations 274
- maps (graphic solutions) 47
- matrix visualisations 276–7
- Mbps 90
- media data types 226
- meta tags 205
- metadata 302
- microwaves 115
- microwave station 115
- mobile devices
 - accessibility 173–4
 - affordance 176
 - connected to networks 104–9
 - consistency 176
 - definition 104
 - games consoles 108–9
 - hand-held data-collection devices 106
 - and information systems 160–1
 - interface design 172–3
 - legibility 174
 - navigation systems 105–6
 - network-attached storage device 109
 - read tap asymmetry 173
 - smartphones 105
 - tablets 104–5
 - tolerance 174
 - touch zone 173
 - useability 173
 - visibility 175
 - wearable technology 107–8
- mobile phone 114
- mock-up 234
- modular programming 240–1

- National Broadband Network (NBN) 111–12, 168
 - devices 92–3
- navigation (information architecture) 178–9
- navigation systems 105–6
- near field communication (NFC) 113–14
- network administrator 85
- network analysis tools 97–8
- network communications standards 101–4
 - 802.11 standard 103–4
 - Ethernet 101
 - sending and receiving devices 104
 - TCP/IP 102–3
- network diagrams 121–2
- network interface cards (NIC) 93–4
- network operating system 96–7
- network protocol 101
- network security 116–21
 - accidental threats 116–17
 - deliberate threats 117–18
 - event-based threats 118
 - firewalls 120
 - measures 118–21
 - passwords 21, 119–20, 334
 - security threats 116–18
 - uninterruptible power supplies 120–1
 - usernames 21, 119–20, 334
 - wireless security 121
- network visualisations 274
- network-attached storage device (NAS) 109, 220, 221
- network(s) 81–125
 - architecture 82, 84–90

- benefits 124–5
 - client-server networks 84–5
 - communications channel 109–11
 - communications devices 81, 90–6
 - communications software 96–8
 - definition 81
 - ethical responsibilities 122–6
 - home networks 83–4
 - internet peer-to-peer networks (P2P) 86
 - internet services 98–100
 - intranets 82–3
 - legal responsibilities 122–6
 - local area networks (LAN) 82, 85
 - and mobile devices 104–9
 - National Broadband Network (NBN) 111–12
 - network communications standards 101–4
 - peer-to-peer networks (P2P) 85–6
 - personal security strategies 124
 - physical designs 121–2
 - risks 124, 126
 - responsibilities of users 124
 - security 116–18, 332
 - security measures 118–21
 - security practices 123–4
 - social 126
 - types of 82–4
 - users, responsibilities of 124
 - virtual private networks (VPN) 86–90
 - wide area networks (WAN) 84
 - wireless transmission media 112–16
- networking software 86
- node 82
- non-functional requirements (problem-solving methodology) 277
- non-technical constraints (problem-solving methodology) 278
- numeric (data format) 270, 307
- object description 232
- object naming 230
- observations 9, 12, 155
- one-dimensional (1D) array 251
- open-ended questions 8
- OpenHeatMap 287
- operating system (OS) 222
- orientation (website design) 194–5
- output devices 219, 331
- P2P downloads: torrents 87–9
- participation information statements 16–18
- passwords 21, 119–20, 334
- peer-to-peer networks (P2P) 85–6, 141
- peers 88
- permission, seeking 15–18
- personal digital assistants (PDAs) 104
- personal information, use and disclosure of 24
- phishing 118, 150
- physical security controls (data) 20–2
- physical transmission media 109, 110–11
- platform 224
- ports 221
- presentation testing (graphic solutions) 68–9
- primary data 5, 155–7
- primary data sources 264
- primary key 304
- primary storage 220
- privacy 19
 - Australian principles 22–4
 - Privacy Act 1988* (Cth) 22–3
 - Privacy and Data Protection Act 2014* (Cth) 22
- problem analysis 32–3
- problem solving
 - approaches to 31–42, 168
 - design principles 181–94
 - design tools 195–204
 - design websites 171–6
 - designing solutions and output 33–42
 - developing websites 205–7
 - four stages of 31
 - functions of a spreadsheet 31–2
 - information architecture 177–80
 - project management techniques 168–71
 - specific design consideration 194–5
 - team solutions 168
- problem-solving methodology (PSM) xii–xiii, 31, 196, 205–7, 219, 263
 - analysis 277–9
 - design tools 66–8, 279–81
 - evaluation criteria 289–91
 - evaluation report 291–2
 - evaluation strategy 291
 - evaluating data visualisations 289–92
 - formats and conventions 56–66, 281–2
 - graphic solutions 42–51
 - graphic solutions, design principles 51–6
 - presentation 207
 - problem solving 31–42
 - process data to create solutions 70–3
 - scope of solution 278–9
 - software development 228–35
 - solution constraints 278
 - solution requirements 277
 - types of tests 68–70
 - validation 70
- process testing (programming concepts) 248–9
- processing hardware 220
- programming 218–55
 - creating effective user interfaces 235–9
 - developing software 228–39
 - hardware 219–21
 - information systems 219
 - modular 240–1

- operating system 222
- and scripting languages 222–3
- software 222
- software development tools 223–5
- storage structures 225–8
- programming, fundamental concepts 240–55
 - arrays 250–2
 - compiled and interpreted languages 240
 - data validation 241–2
 - debugging 244–8
 - files and records 252–3
 - GUI controls and structures 253–4
 - internal documentation 242
 - logic 244
 - loops 242–4
 - modular 240–1
 - process testing 248–9
 - queues 252
 - and scripting languages 222–3
 - searching 255
 - stacks 252
- programming languages 285–6
- project management
 - definition 168
 - techniques 168–71
 - tools 170
- project table 170
- proportion (website design) 194
- protocol 87, 101
- prototypes 223
- pseudocode 232–4
 - rules of 233–4
- public key encryption 233
- qualitative data 4, 156–7
- quality control (project management) 169
- quantitative data 3–4, 156–7
- queries 305, 316–18, 321
- query criteria 317
- questionnaires 5, 7, 12
- questions
 - closed 7
 - graphic solutions 70
 - open-ended 8
- queues (programming concepts) 252
- RAID (redundant array of inexpensive disks) 330
- random-access memory (RAM) 220
- random files 253
- ratings systems 153–4
- read tap asymmetry (mobile devices) 173
- receiving device 81
- record (data type) 270
- reduced instruction set computing (RICS) 220
- redundant array of inexpensive disks (RAID) 330
- referencing
 - examples 12–14
 - primary sources 11–14
- relevance of data 9
- relevance of primary data 269
- relevance testing (graphic solutions) 69
- reliability 11
- reliability testing (graphic solutions) 68
- repetition (design principles for graphic solutions) 53
- reports (data management) 306, 318–19, 321
- research
 - types of 3–4
 - understanding 3–4
- resolution 227
- retrieval 206
- routers 90–1
- runtime errors 246
- salt value 334
- sample size 10
- screen resolution (mobile devices) 161
- scripting languages and programming 222–3
- searching (programming concepts) 255
- secondary data 5, 155, 157–8
- secondary data sources 264–5
- secondary storage 220–1
- security (networks) 116–18
 - breaches 126
 - measures 118–21
 - personal strategies 124
 - physical and software 333–5
 - practices 123–4
 - system software 334
- seeds 88
- sending and receiving devices 104
- sending device 81
- sequential files 252
- shapes (graphic solutions) 58
- skeuomorphism 176
- smartphones 105
- social media 153–4
- social networks 126–7
- software 222
 - database 284–5, 311
 - spreadsheet 286–7
- software development 228–35
 - data dictionaries 229–31
 - data structure diagrams 231
 - functional requirements 228
 - input–process–output (IPO) charts 231–2
 - interface mock-up 234–40
 - non-functional requirements 228–9
 - object description 232
 - pseudocode 232–4

- PSM stage: analysis 228–9
- PSM stage: design 229–35
- tools 223–5
- software tools and functions (data analysis) 282–7
 - database software 284–5
 - extracting data 282–6
 - Google 286
 - OpenHeatMap 287
 - programming languages 285–6
 - spreadsheet software 286–7
 - Tableau Public 287
- solid state drives (SSD) 220
- solution constraints (problem-solving methodology) 278
- solution requirements (problem-solving methodology) 277
- source code 223
- sources (data analysis) 5–9
- sources of data and legend (graphic solutions) 60–1
- sound editing 205
- space (design principles for graphic solutions) 54–5, 190–2
- sport and information systems 145–6
- spreadsheet functions 31–2
- spreadsheet software 286–7
- storage devices (data management) 330
- structure query language (SQL) 302
- spywear 117
- stacks (programming concepts) 252
- stakeholders 5, 140, 141–2, 146–7, 148, 150–1, 152
- storage 205, 220–1
- storage hardware 220–1
- storage structures 225–8
 - data types 225–6
 - definition 225
- storing shared file 159–60
- storyboards 197–8, 280
- streaming 141
- string (or text) (data type) 270, 307
- Structure English 232
- surveys 7, 156
- switches 90
- syntax errors 245
- system security software 334
- system testing 248

- Tableau Public 287
- tablets 104–5
- tagging 205
- TCP/IP (transmission control protocol/internet protocol) 102–3
- team solutions (problem solving) 168
- technical constraints (problem-solving methodology) 278
- test data 200, 248
- testing
 - graphic solutions 68, 206–7
 - process 248–9
 - tables 249
- text (data type) 270, 307
- text editing 205
- text styles (graphic solutions) 57
- time visualisations 275
- timelines (graphic solutions) 47
- titles (graphic solutions) 56–7
- tolerance
 - user interface 238–9
 - website design 174
- top-driven loops 243
- torrents 87–9
- transmission media 109
 - physical 109, 110–11
 - wireless 109, 112–16
- trojans 118
- twisted-pair cables 110
- twisted-pair wire 110
- typography 174

- uncounted loops 243
- unencrypted data 20
- uninterruptible power supplies 120–1
- universal serial bus (USB) 221
- uplink 116
- user interphase (UI) 177
- user interfaces, creating effective 235–9
 - accessibility 236
 - affordance 236
 - consistency 239
 - legibility 238
 - structure 237
 - tolerance 239–40
 - useability 235–6
 - visibility 237–8
- user interfaces for data entry 309–12
- useability (design principles for graphic solutions) 52, 182–4, 207, 235–6
- usernames 21, 119–20, 334

- validation (graphic solutions) 68, 70, 206
- validation testing 248
- variables 11, 43
- version control 171
- vested interest 10
- Victorian government data directory 265–6
- video file 203
- virtual private networks (VPN) 86–90
- virus 117
- visibility
 - mobile devices 175
 - user interface 237–8
- visualisations *see* data visualisations
- voice over Internet Protocol (VoIP) 100

- wearable technology 107–8
- web browsers 98–9
- web design and information systems 160–1
- web server 82
- web-authorising software 196
- webpage storyboards 197–8
- websites, designing 171–6
 - mobile devices 172–6
 - principles 181–94
 - proportion 194
 - specific considerations 194–5
 - tools 195–205
- websites, developing 205–7
 - manipulation 205–6
 - testing 206–7
 - validation 206
- white space 54
- wide area networks (WAN) 84, 90
- wi-fi 103
- wi-fi communication 112–13
- wi-fi protected access (WPA or WPA2) 121
- wireless access point 94
- wireless adaptors 93–4
- wireless broadband routers 92
- wireless extender 95–6
- wireless network technologies 95–6
- wireless security 121
- wireless transmission media 109, 112–16
- WMS file formats 288
- wordclouds 156
- World Wide Web Consortium (WC3) 173
- worms 117
- XML/ELMS file formats 288

